

Atmospheric Convection

A Primer

Homogeneous Compressible Gases

Buoyancy and Entropy

Specific Volume: $\alpha = \frac{1}{\rho}$

Specific Entropy: s

$$\alpha = \alpha(p, s)$$

Maxwell: $\left(\frac{\partial \alpha}{\partial s} \right)_p = \left(\frac{\partial T}{\partial p} \right)_s$

$$(\delta \alpha)_p = \left(\frac{\partial \alpha}{\partial s} \right)_p \delta s = \left(\frac{\partial T}{\partial p} \right)_s \delta s$$

$$B = g \frac{(\delta \alpha)_p}{\alpha} = \frac{g}{\alpha} \left(\frac{\partial T}{\partial p} \right)_s \delta s = - \left(\frac{\partial T}{\partial z} \right)_s \delta s \equiv \Gamma \delta s$$

The adiabatic lapse rate:

First Law of Thermodynamics :

$$\begin{aligned}\dot{Q} &= T \frac{ds_{rev}}{dt} = c_v \frac{dT}{dt} + p \frac{d\alpha}{dt} \\ &= c_v \frac{dT}{dt} + \frac{d(\alpha p)}{dt} - \alpha \frac{dp}{dt} \\ &= (c_v + R) \frac{dT}{dt} - \alpha \frac{dp}{dt} \\ &= c_p \frac{dT}{dt} - \alpha \frac{dp}{dt}\end{aligned}$$


Adiabatic : $c_p dT - \alpha dp = 0$

Hydrostatic : $c_p dT + gdz = 0$


$$\rightarrow \left(\frac{dT}{dz} \right)_s = - \frac{g}{c_p} \equiv -\Gamma_d$$

$$\Gamma = \frac{g}{c_p}$$


Earth's atmosphere: $\Gamma = \frac{1K}{100m}$



Model Aircraft Measurements (Renno and Williams, 1995)



Prandtl's (1925) problem




$$\int_0^\infty \dot{Q} dz = F$$

$$F \sim L^2 t^{-3}$$

$$\rightarrow w \sim (F z)^{1/3}$$

$$B \sim \left(\frac{F^2}{z} \right)^{1/3}$$



$T = \text{constant}$

Above a thin boundary layer, most atmospheric convection involves phase change of water:

Moist Convection



Moist Convection

- Significant heating owing to phase changes of water
- Redistribution of water vapor – most important greenhouse gas
- Significant contributor to stratiform cloudiness – albedo and longwave trapping

Water Variables

Mass concentration of water vapor (*specific humidity*):

$$q \equiv \frac{M_{H_2O}}{M_{air}}$$

Vapor pressure (partial pressure of water vapor): e

Saturation vapor pressure: e^*

C-C: $e^* = 6.112 \text{ hPa } e^{\frac{17.67(T-273)}{T+30}}$

Relative Humidity: $\mathcal{H} \equiv \frac{e}{e^*}$

The Saturation Specific Humidity

$$p = \rho \frac{R^* T}{\bar{m}}$$


Ideal Gas Law:

$$e = \rho_v \frac{R^* T}{m_v}$$

$$q = \rho_v / \rho = \frac{m_v}{\bar{m}} \frac{e}{p}$$

$$q^* = \frac{m_v}{\bar{m}} \frac{e^*}{p}$$

Phase Equilibria



Bringing Air to Saturation

$$e = qp \left(\frac{\bar{m}}{m_v} \right)$$

$$e^* = e^*(T)$$


1. Increase q (or p)
2. Decrease $e^*(T)$

When Saturation Occurs...

- Heterogeneous Nucleation
- Supersaturations very small in atmosphere
- Drop size distribution sensitive to size distribution of cloud condensation nuclei



Ice Nucleation Problematic



Precipitation Formation:

- Stochastic coalescence (sensitive to drop size distributions)
- Bergeron-Findeisen Process
- Strongly nonlinear function of cloud water concentration
- Time scale of precipitation formation ~10-30 minutes

Stability

No simple criterion based on entropy:

$$s_d = c_p \ln\left(\frac{T}{T_0}\right) - R_d \ln\left(\frac{p}{p_0}\right)$$

$$\alpha = \alpha(s_d, p)$$

$$s = c_p \ln\left(\frac{T}{T_0}\right) - R_d \ln\left(\frac{p}{p_0}\right) + L_v \frac{q}{T} - q R_v \ln(\mathcal{H})$$

$$\alpha = \alpha(s, p, q_t)$$

Virtual Temperature and Density Temperature

Assume all condensed water falls at
terminal velocity

$$\alpha = \frac{V_a + V_c}{M_d + M_v + M_c}$$

$$pV = nR^*T$$

$$V_a = \frac{R^*T}{p} \left(\frac{M_d}{m_d} + \frac{M_v}{m_v} \right),$$

$$\overline{m}_d \equiv \frac{1}{\frac{1}{M_d} \sum_i \frac{M_i}{m_i}}$$

$$\rightarrow V_a = \frac{R_d T}{p} \left(M_d + \frac{M_v}{\varepsilon} \right),$$

where

$$\varepsilon \equiv \frac{m_v}{m_d} \cong 0.622$$

$$R_d \equiv R^* \frac{*}{m_d}$$

$$\alpha = \frac{V_a + V_c}{M_d + M_v + M_c} = \frac{R_d T}{p} \left(1 - q_t + \frac{q}{\varepsilon} \right) \left(1 + \frac{q_c}{1 - q_c} \frac{\rho_a}{\rho_c} \right)$$

$$\cong \frac{R_d T}{p} \left(1 - q_t + \frac{q}{\varepsilon} \right)$$

$$q_t \equiv \frac{M_v + M_c}{M}, \quad q \equiv \frac{M_v}{M}$$

Density temperature:

$$T_\rho \equiv T \left(1 - q_t + \frac{q}{\varepsilon} \right)$$

$$\alpha = \frac{R_d T_\rho}{p}$$


Trick:

Define a *saturation entropy*, s^* :


$$s^* \equiv s(T, p, q^*)$$
$$\alpha = \alpha(s^*, p, q_t)$$

We can add an arbitrary function of q_t to s^* such that

$$\alpha \cong \alpha(s^{*\prime}, p)$$




Stability Assessment using Tephigrams:




Stability Assessment using Tephigrams:

Convective Available Potential Energy
(CAPE):




$$\begin{aligned} CAPE_i &\equiv \int_{p_n}^{p_i} (\alpha_p - \alpha_e) dp \\ &= \int_p^{p_i} R_d (T_{\rho_p} - T_{\rho_e}) d \ln(p) \end{aligned}$$



Other Stability Diagrams:



“Air-Mass” Showers:



← 10 Km →




FIG. 15. Radar echo, plane paths, measured draft data, and cell outlines, 1310 EST 9 July 1946.






FIG. 16. Radar echo, plane paths, measured draft data, and cell outlines, 1320 EST 9 July 1946.



Precipitation Effects:



Buoyancy Reversal:



$$h_v = C_p T_v + g z - L_v \ell$$


Summary of Differences Between Dry and Moist Convection:

- Possibility of metastable states
- Strong asymmetry between cloudy and clear regions
- Typically, only thin layers near surface are unstable to upward displacements
- Mixing can cause buoyancy reversal
- Large potential for evaporatively cooled downdrafts
- Separation of buoyancy from displacement can lead to propagating convection


- Buoyancy of unsaturated downdrafts depends on supply of precipitation
- Entropy produced mostly through mixing, not dissipation
- Internal waves can co-exist with unstable convection


Tropical Soundings

November - February




Annual Mean Kapingamoronga:







Kapingamoronga




Kapingamoronga




Kapingamoronga




Kapingamoronga




Kapingamoronga






Radiative-Moist Convective Equilibrium


Precipitating Convection favors Widely Spaced Clouds (Bjerknes, 1938)





Properties:


- Convective updrafts widely spaced
- Surface enthalpy flux equal to vertically integrated radiative cooling
- $M \frac{c_p T}{\theta} \frac{\partial \theta}{\partial z} = -\dot{Q}$
- Precipitation = Evaporation = Radiative Cooling
- Radiation and convection *highly* interactive


























Recovery from mid-level specific humidity perturbation



T_v Perturbation, from -6.87 to 0.848



Domain Average Surface Rainfall Intensity



Robe and Emanuel, J. Atmos. Sci., 1996







Figure 4.5: time-series of the horizontally averaged rainfall at the ground for $R = -5.4$ K/day. The domain extends over $60 \times 60 \text{ km}^2$ for the first 120 hours, and over $180 \times 180 \text{ km}^2$ for the last 18 hours.




CONVECTIVE AVAILABLE POTENTIAL ENERGY



(a)


MASS FLUX ($\text{KG M}^{-2} \text{S}^{-1}$)

(b)


VERTICAL VELOCITY (M S^{-1})

(c)


AREAL COVERAGE (%)



Islam et al. Predictability Experiments





Zipser (1969)




System Motion Is Left to Right at 3 m s^{-1} . Arrows Show Relative Wind.

Robe and Emanuel, *J. Atmos. Sci.*, 2001




(a)


5T1 (H=1 km; lifetime=3.5 h)

(b)

5T2 (H=2 km; lifetime=9 h)


(c)


5T3 (H=2.5 km; lifetime = 3 h)

(d)

5T4 (H=4 km; lifetime=5 h)


Fovell and Ogura, *J. Atmos. Sci.*, 1988, 1989






Rotunno, Klemp and Weisman, *J. Atmos. Sci.*, 1988


(a)




(b)








(c)



(d)









55A45(8h45)


55A90 (8h30)




Speculative Regime Diagram





Non-equilibrium Convection














Klemp and Wilhelmson, *J. Atmos. Sci.*, 1978







GOES-10 IMAGER -- VISIBLE -- 00:02 UT 27 MAY 1997 UW/SSEC/CIMSS

McIDAS



LP supercell E of Amarillo Tx May 29 2001
(c) 2001 Dave Crowley www.stormguy.com





Copyright (c) 2002 Bill Reid, All Rights Reserved.

